
Digital B&W Multi Function Printer

RICOH

MP 2554 MP 3054 MP 3554 **SERIES**

☑ Copier ☑ Printer ☑ Facsimile ☑ Scanner



Expand your business with customized convenience

Who says staying ahead of the competition is difficult? It's easy when you can give your customers the information they need — in multiple formats and multiple ways — quickly and securely. Perform everyday office tasks, including advanced printing, scanning, copying and faxing, from the versatile GESTETNER MP 2554/MP 3054/ MP 3554 series. Are projects piling up? Save time with preset shortcuts to frequently used document tasks. You use your smartphone every day. Why not use it to print documents from wherever you are? Worried about security? Set up user authentication so only authorized users can see and print jobs. You can even monitor user activity and energy consumption remotely, and make strategic changes to simplify work and reduce costs even more.

- Produce up to 35 pages per minute
- Connect from anywhere using location-free mobile printing
- Simplify workflow and perform more tasks without increasing footprint size
- Complete more types of jobs with flexible media handling
- Minimize operating costs with energy-saving efficiency

Move from job to job effortlessly

Fully featured with advanced tools to make your workday easier

Smooth transition between jobs

You can easily transition between jobs with the GESTETNER MP 2554/MP 3054/MP 3554 series. Recovery time from sleep mode is less than 5 seconds, so you don't have to stand around waiting when you need to send documents quickly. Print up to 35 monochrome pages per minute on a wide range of media and handle almost any job. You can also scan up to 80 colour or monochrome images per minute with minimal manual intervention using the standard 100-sheet Automatic Reversing Document Feeder (ARDF).



Intuitive and easy navigation

With the GESTETNER MP 2554/MP 3054/MP 3554 series, you can print, copy, scan and fax documents and move on to your next project just as quickly. Intuitive drag-and-drop, pinch-and-flick and swipe scrolling simplify routine actions and minimize extraneous choices. It's available via the optional 10.1" Wide Super VGA Smart Operation Panel. It simplifies the choices for the most frequently used functions for Copy, Scanner, Print and Fax.



High efficiency

Perform daily tasks more efficiently with the intuitive, simple-to-use interface. Spending too much time searching for paper and re-loading trays? Add optional paper trays to increase paper capacity up to 4,700 sheets for longer, uninterrupted runs. You can even print on thicker media up to 300 gsm². Plus, you can choose from several automated finishers, including a space-saving internal finisher or an environmentally friendly stapleless finisher, to make almost any presentation look polished.



Cost and energy saving

The GESTETNER MP 2554/MP 3054/MP 3554 series offers low cost-per-page and Total Electricity Consumption (TEC) values to help support your budgetary needs and sustainability goals. The device can be programmed to power on or off during specified times to conserve energy for even greater savings.



MP 2554SP/ MP 3054/ MP 3054SP/ MP 3554/ MP 3554SP

MAINSPECIFICATIONS

GENERAL

Warm-up time: Basic: 11.0 seconds/ SP: 14.0 seconds

First output speed: 4.6/4.6/4.3 seconds

Continuous output speed: 25/30/35 pages per minute

Memory: 2GB (Maximum)

HDD: 320GB (Basic: Optional)

Dimensions (W x D x H): 587 x 680 x 788 mm (without ARDF)

Weight: 60 kg

Power source: 220 - 240 V, 50/60 Hz

COPIER

Resolution:

Print resolution:

Copying process: Laser beam scanning & electro photographic printing

Multiple copying: Up to 999 copies

Zoom: From 25% to 400% in 1% step

600 dpi

PRINTER (OPTION: MP 3054/ MP 3554)

Printer language: Standard: PCL5e, PCL6, Adobe PDF Direct

Option: Adobe PostScript 3[™], IPDS, XPS 600 x 600 dpi, 1,200 x 1,200 dpi (Maximum)

Interface: Standard: USB 2.0 Type A, USB 2.0 Type B, SD slot,

Ethernet 10 base-T/100 base-TX,

Ethernet 1000 Base-T
Option: Bi-directional IEEE 1284/ECP. *Wireless LAN

(IEEE 802.11a/b/g/n), *Bluetooth, *Additional

NIC (2nd port)

Network protocol: TCP/IP (IP v4, IP v6), IPX/SPX (Option)

Windows environments: Windows XP, Windows Vista, Windows 7, Windows 8,

Macintosh OS X v10.56 or later

Windows Server 2003, Windows Server 2008, Windows

Server 2008R2, Windows Server 2012

LINIX environments: LINIX Sun* Solaris: 2 9 2 10

HP-UX: 11.x, 11i v2, 11i v3

SCO OpenServer: 5.0.7, 6.0 RedHat^{*} Linux Enterprise: v4, v5, v6

IBM AIX: v5L, v5.3, v6.1, v7.1

Novell Netware

Mac OS environments:

environments: v6.5 SAP R/3 environments: SAP R/3

*Not available for Taiwan model

SCANNER (OPTION: MP 3054/ MP 3554)

Scanning speed: ARDF: Max. 80 originals per minute

Resolution: 600 dpi, 1200 dpi (TWAIN) File Format: TIFF, JPEG, PDF, Encryption PDF,

High Compression PDF, PDF-A

Bundled drivers: Network TWAIN

Scan to: E-mail, Folder, USB/SD, URL NCP (Optional)

FAX (OPTION)

Circuit: PSTN, PBX
Compatibility: ITU-T (CCITT) G3

Resolution: 8 x 3.85 line/mm, 200 x 100 dpi

8 x 7.7 line/mm, 200 x 200 dpi 8 x 15.4 line/mm, 16x 15.4 line/mm

400 x 400 dpi (Optional)

Transmission speed: G3: Approx. 3 second(s) (200 x 100 dpi, JBIG)

Approx. 2 second(s) (200 x 100 dpi)

Modem speed: Maximum: 33.6 Kbps
Memory capacity: Standard: 4 MB

Maximum: 60 MB

PAPERHANDLING

Recommended paper size: A3, A4, A5, A6, B4, B5, B6
Paper input capacity: Standard: 1,150 sheets
Maximum: 4,700 sheets

Paper output capacity: Standard: 500 sheets

Maximum: 1,625 sheets

Paper weight: Standard paper tray(s): 60 - 300 g/m²

Bypass tray: 52 - 300 g/m²

Duplex unit: 52 - 256 g/m²

ECOLOGY

Power consumption: Maximum: 1,600 W

Ready mode: 54.6 W

Sleep mode: 0.46 W (Basic)/ 0.49 W (SP) TEC (Typical Electricity Consumption): MP 3054/MP 3554: 1,363/1,617 W/h

MP 2554SP/MP 3054SP/MP 3554SP: 858/1,092/1,321 W/h

SOFTWARE (OPTION)

GlobalScan NX, Device Manager NX, Enhanced Locked Printed NX, Streamline NX, Card Authentication Package, Unicode Font Package for SAP

OPTIONS

ADF handle, ARDF, Platen cover, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, Tandem LCIT, Caster table, LCIT, One-bin tray, Internal finisher, 1,000-sheets finisher, 1,000-sheets booklet finisher, Internal staple-free stapler finisher, Shift tray, Side Tray, Bridge unit, Punch kits for finisher, Printer/Scanner option, Smart operation panel, Hard disk drive, Netware, Browser unit, File format converter, Unicode font package, Adobe PostScript 3 option, IPDS, XPS print option, Copy data security unit, Wireless LAN (IEEE 802.11a/b/g/n), IEEE 1284, Bluetooth, Additional NIC (2 port), Counter interface, Key counter bracket, Smart card reader, Card reader bracket, External keyboard bracket, OCR unit, Fax option, G3 interface unit, Fax connection unit, Fax memory, Fax marker

For availability of models, options and software, please consult your local Ricoh supplier.

MP20140909-04

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467

Phone: +65 6830 5888, Fax: +65 6830 5830



















