


Digital B&W Multi Function Printer

# GESTETNER MP 9003SP MP 7503SP MP 6503SP

Copier  Printer  Facsimile  Scanner

**RICOH**  
imagine. change.



GESTETNER  
MP 9003SP

90  
ppm B&W

GESTETNER  
MP 7503SP

75  
ppm B&W

GESTETNER  
MP 6503SP

65  
ppm B&W

# Powerful × Tough

## Overwhelming Power and Unwavering Reliability

The machine provides the outstanding performance one would expect from the top-class black & white multifunction printer. The machine displays high productivity based on its powerful and high-speed output and fast reading capabilities as well as on its variety of post-processing functions. The machine is also not prone to paper jams and provides high stability with minimum downtime to meet the requirements for core offices machines: to be usable for long hours and able to continuously deliver output. Moreover the Smart Operation Panel enables intuitive operation and user-friendliness. Experience the power and reliability provided by this advanced multifunction printer.



\*The photo shows the RICOH MP 9003SP equipped with an optional finisher with the stack capability of 2,000 sheets (SR4130) and a large capacity tray (LCT) for A4 paper (RT4040).

\* The screen images are simulated.



220 page 



### Scan Speed

The machine scans in color or monochrome up to 120 pages per minute\*1 in simplex and 220 pages per minute\*1 in duplex, thereby helping accelerate your office's attempts to become paperless.

\*1. A4 landscape, 200/300 dpi, run for a single paper size.



3,000 sheets

### Various Options

You can increase the productivity of the machine even more by attaching to it a paper folder, a finisher that provides the stack capability of 3,000 sheets\*2, or various other optional devices.

\*2. imagio SR4080/SR4120 3,000 sheet finishers

10.1 inch 

### User Friendly

The machine is equipped with the 10.1-inch Smart Operation Panel to provide flick & drag and various other functions for intuitive operation, thereby providing users with new convenience.

TEC   
4,9 kWh

### Environment Friendly

The typical electricity consumption (TEC) can be as small as 4.9 kWh.\*3 This highly energy-efficient machine meets the standards of the International ENERGY STAR Program for all the models.

\*3 For RICOH MP 6503 SP

GESTETNER MP 9003SP/7503SP/6503SP

# Innovating your workplace.

## Workflow made seamless.

In fast pacing work environment, there is no compromise to slow productivity. With enhance technology, Ricoh improved these powerful A3 Mono MFP that users can rely on. Delivering professional level of output with high speeds of 65, 75 and 90ppm, extra security and consistent quality like an in-house production with all features of outsourced print facility.



## Smart technology.

Each device is equipped with software capabilities that cater and customizable to business needs. With Ricoh innovative 10.1" Smart Operation Panel will change the way how user can interact with Ricoh MFPs. This user-friendly tablet-style control panel benefits and improves business work flow and operations with application capability. Just touch, swipe, pinch and get the job done.



## Continuous quality, while controlling costs.

These MFPs are ultra-capable, fast, and rich in functionality too. They include innovative features like finishers and a multi-folding unit which can fold documents into a variety of different styles - including tri-fold, gatefold and four-fold. Users can create letters and invoices to be ready for envelope insertion and avoid any outsourcing of complex print requirements.



## Higher productivity.

Built-in Human Detection Sensor allows the device to respond immediately to help business to efficiently completing tasks without delay. Improved power saving technology also helps users to lower cost and maintain continuous high quality output.



## Built in efficiency.

Book Copy application is available for built-in features to help erase shadows, enabling books and loose sheet originals to be scanned with the Single Pass Document Feeder open. These are designed to minimise toner wastage, lower operating costs while meeting deadlines. Another highlight of the productivity features include large capacity trays and a faster scan speed.



# Critical Capabilities For Business Communications



- 1 Easy access via intuitive Smart Operation Panel.
- 2 Standard 4,300-sheet paper trays to avoid frequent refills.
- 3 2,000-sheet booklet maker with 65-page stapler.
- 4 Standard 100-sheet bypass tray for paper types up to 300 g<sup>2</sup>/m.
- 5 Multi-folding unit supporting 6 folding patterns for creative printing solutions.
- 6 Cover interposer to insert pre-printed colour sheets/covers.
- 7 USB/SD card reader to print from/scan to flash memory.
- 8 4,000-sheet A4 Large Capacity Tray for high volume productivity.



# GESTETNER MP 6503SP / MP 7503SP / MP 9003SP

MAIN SPECIFICATIONS

## GENERAL

Warm-up time:	20/20/300 seconds
First output speed:	3.2/3.2/2.9 seconds
Continuous output speed:	65/75/90 pages per minute
Memory:	Standard: 2GB
HDD:	Standard: 320GB
Dimensions (W x D x H):	690 x 803 x 1,161 mm
Weight:	200 kg
Power source:	220 - 240 V, 50/60 Hz

## COPIER

Copying process:	Four laser beams scanning and electro-photographic printing
Multiple copying:	Up to 999 copies
Resolution:	600 dpi
Zoom:	From 25% to 400% in 1% steps

## PRINTER

Printer language:	Standard: PCL5e, PCL6, PDF direct print Option: XPS, Adobe® PostScript® 3™, IPDS
Print resolution:	Minimum 300 x 300 dpi Maximum 1,200 x 1,200 dpi
Fonts:	PCL (Scalable: 45 fonts, Bitmapped: 6 fonts, International fonts: 13 fonts), PS3 (136 Roman fonts), IPDS (108 fonts)
Interface:	Standard: SD slot, USB Host I/F, Ethernet 10 base-T/100 base-TX/1000 base-T Option: IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), USB 2.0 (Type B)
Network protocol:	TCP/IP (IP v4, IP v6)
Windows® environments:	Windows® Vista, Windows® 7, Windows® 8, Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2
Mac OS environments:	Macintosh OS X v10.7 or later
UNIX environments:	UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX
SAP® R/3® environments:	SAP® R/3®
Other supported environments:	IBM iSeries/ AS/400-using OS/ 400 Host Print Transform

## SCANNER

Scanning speed:	120 ipm (Simplex) / 220 ipm (Duplex) originals per minute
Resolution:	Maximum 600 dpi
Original size:	A3, A4, A5, B4, B5
Scan to:	E-mail, Folder

## FAX (OPTION)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Resolution:	Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/mm, 200 x 200 dpi
Option:	8 x 15.4 line/mm, 400 x 400 dpi, 16 x 15.4 line/mm, 400 x 400 dpi
Transmission speed:	G3: 2 seconds (200 x 100 dpi, JBIG), G3: 3 seconds (200 x 100 dpi, MMR)
Modem speed:	Maximum: 33.6 Kbps

## PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A3, A4, A5
Bypass tray:	A3, A4, A5, A6
Paper input capacity:	Standard: 4,300 sheets Maximum: 8,300 sheets
Paper output capacity:	Maximum: 3,500 sheets
Paper weight:	Paper tray: 52 - 256 g/m <sup>2</sup> Bypass tray: 52 - 300 g/m <sup>2</sup> Duplex: 64 - 256 g/m <sup>2</sup>

## ECOLOGY

Power consumption:	Maximum: 1,900 W Ready mode: 261/261/290W Low power mode: 165/167/198 W Sleep mode: 0.9 W TEC (Typical Electricity Consumption): 4.9/5.4/12.6kWh
--------------------	--

## OPTIONS

Cover Interposer Tray CI4030, Cover Interposer Tray CI4040, Finisher SR4120, Booklet Finisher SR4130, Output Jogger Unit Type M25, LCIT RT4040, XPS Direct Print Option Type M25, Fax Option Type M25, G3 Interface Unit Type M25, FAX Memory Unit Type M25 64MB, Fax Connection Unit Type M25, PostScript3 Unit Type M25, IPDS Unit Type M25, Copy Connector Type M25, External Keyboard Bracket Type M25, Finisher SR4080, Multi-Folding Unit FD4000, Output Jogger Unit Type 9002B, Punch Unit Type 1075 NA 3/2, Punch Unit Type 1075 EU 2/4, Punch Unit Type 850 S4, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, A3/11" x 17" Tray Type 9001, 8 1/2"x14" PAPER SIZE TRAY Type 9002, Copy Tray Type 9002, Mail Box CS4010, ADF Handle Type C, IEEE 1284 Interface Board Type M19, IEEE 802.11a/g/n Interface Unit Type M19, USB Device Server Option Type M19, Extended USB Board Type M19, Unicode Font Package for SAP(R) 1 License, Unicode Font Package for SAP(R) 10 License, Unicode Font Package for SAP(R) 100 License, File Format Converter Type M19, DataOverwriteSecurity Unit Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Card Reader Bracket Type 3352, Key Counter Bracket, NFC Card Reader Type M19, Smart Card Reader Built-in Unit Type M19, Tab Sheet Holder Type 9002

## CONSUMABLES

Toner capacity:	Black: 43,000 prints
-----------------	----------------------

For availability of models, options and software, please consult your local Ricoh supplier.

**RICOH**  
imagine. change.

[www.ricoh-ap.com](http://www.ricoh-ap.com)

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467  
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2015 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.

RICOH @Remote

