

RICOH

Digital B&W Multi Function Printer

MP 4054
MP 5054
MP 6054
SERIES

✓ Copier ✓ Printer ✓ Facsimile ✓ Scanner



MP 4054/
MP 4054SP

40
ppm
A4
Black & White

MP 5054/
MP 5054SP

50
ppm
A4
Black & White

MP 6054/
MP 6054SP

60
ppm
A4
Black & White

Highly reliable A3 black & white multi function devices


Your organization is unique. Just like the way you conduct business. So why handle document management in the same way as everybody else does?

tz5TETKER MP 4054/MP 5054/MP 6054 series A3 black & white multifunction devices (MFDs) are designed for busy mid- to large-sized offices. These MFDs help you print, copy and share a wide range of documents.

Use them as your information portal and connect to cloud services and applications directly from the operation panel. Monitor usage, energy consumption, operating costs and more with powerful administration tools. Add this compact device to your Ricoh Managed Document Service (MDS) programme to reduce costs across your company via advanced document handling. Available in a wide range of configurations, these models match your requirements and enhance your output from creation to finish.

- Time-saving: rapid recovery from sleep mode and a fast first print speed
- Highly productive: print at up to 40/50/60 pages per minute
- Ease of use: choice of two operating panels (9-inch/10.1-inch*)
- Cost-saving: low energy consumption
- Flexible: wide range of models to meet all your needs





So sma1. So intuitive. So productive”


Easy to use

The Céstetner MP 4054/MP 5054/MP 6054 series is very simple to use. Select a conventional 9-inch display or try out the optional latest 10.1-inch Smart Operation Panel. Touch and swipe, like with any smart device, to perform complex operations rapidly and effortlessly. These models also feature external USB keyboard support, which further improves usability.



Top-quality documents

A large variety of *finishing* options is available. Add one of the two booklet finishers to easily create flat fold booklets. This saves you time that would otherwise be spent on manually folding documents. You can also opt for the 1,000- or 3,000-sheet finisher for a professional touch.



Instant ar+> «

MP 4054/MP 5054/MP 6054 series wakes up from Energy Saver mode virtually instantly. Turn away briefly and you'll miss the first print at a quick 2.9 seconds. Their high paper capacity of maximum 4,700 sheets and thick paper support of up to 300gm² are complemented by an Automatic Reversing Document Feeder (MP 4054/ MP 5054 series) or a Single Pass Duplex Feeder (MP 4054/ MP 5054/ MP 6054* series) for fast double-sided printing.

Enhance your green credentials

Low Total Electricity Consumption (TEC) values, energy-saving sleep mode and new Energy Star v2.0 compliance reduce your environmental impact and your energy costs. Automatic and fast double-sided printing is standard to save time, paper and cost.

6054SP

GENERAL

Warm-up time:	Baric. 11.0 seconds/ SP: J4.0 seconds
First output speed:	4.0/2.9/2.9 seconds
Continuous output speed:	40/50/60 pages per minute
Memory:	2UB (Maximum)
HDD:	320GB (Basic: Optional)
Dimensions (W x D x H):	With ARDF: 587 x 680 x 913 mm With SPOF: 587 x 680 x 963 mm
Weight:	With ARDF: 68.5 kg With SPNF: 74 kg
Power source:	220 - 240 V, 50/60 Hz

Copying process:	Twin laser beam scanning & electro photographic printing
Multiple copying:	Up to 999 copies
Resolution:	600 dpi
Zoom:	From 25% to 400% in 1% step

PRINTER (OPTION: MP 4054/ MP 5054/ MP 6054)

Printer language:	Standard: PCLSe, PCL6, Adobe* PDF Direct Option: Adobe* PostScript* 3*, IPDS, XPS
Print resolution:	600 x 600 dpi, J.200 x 1,200 dpi (Maximum)
Interface:	Standard: USB 2.0 Type A, USB 2.0 Type B, SD slot, Ethernet J100 Base-T, Ethernet J100 Base-T Option: 8i-directional IEEE J28'VECP, *Wireless LAN (IEEE 802.11a/b/g/n), *Bluetooth, *Additional NIC (2nd port)
Network protocol:	TCP/IP (IPv4, IPv6), IPXSPX (Option)
Windows® environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® 8.1, Windows® Server 2003, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2
Mac OS environments:	Macintosh OS X v10.6 or later
UNIX environments:	uNix Sun® Solaris: 9, 10 HP-UX: 11.x, 11i v2, 11v3 SCO OpenServer: 5.07, 6.0 RedHat® Linux Enterprise: v4, v5, v6 IBM® AIX: v5L, v5.3, v6.1, v7.1
Novell® Netware® environments:	v6.5
SAP® R/3® environments:	AP® R/3®

*Not available for Taiwan model

SCANNER (OPTION: MP 4054/ MP 5054/ MP 6054)

Scanning speed:	ARDF: Max. 60 originals per minute SPDF*: Max. 110 (Simplex)/ 180 (Duplex) originals per minute
Resolution:	600 dpi, 1200 dpi (TWAIN)
File Format:	TI-F, JPEG, PDF, Encryption PDF, High Compression PDF, PDF-A
Bundled drivers:	Network TWAIN
Scan to:	E-mail, Folder, USB/SD, URL NCP (Optional)

*SPOFi naw0anffor WP6054 ehe

FAX (OPTION)

Circuit:	PSTN, PBX
Compatibility:	ITU-7 (CCITT) G3
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi 8 x 7.7 line/mm, 200 x 200 dpi 8 x 15.4 line/mm, 16 x 15.4 fine/mm 400 x 400 dpi (Optional)
Transmission speed:	GA: Approx. 2 second(s) (200 x 100 dpi, JblG) Approx. 2 second(s) (200 x 100 dpi)
Modem speed:	Maximum: 33.6 Kbps
Memory capacity:	Standard: 4 MB Maximum: 60 MB

PAPER HANDLING

Recommended paper size:	A3, A4, AS, A6, B4, BS, B6
Paper input capacity:	standard: 1,150 sheets Maximum: 4,700 sheets
Paper output capacity:	Standard: 500 sheets Maximum: 3,625 sheets
Paper weight:	Standard paper tray(s): 60 - 300 g/m ² Bypass tray: 52 - 300 g/m ² Duplex unit: 52 - 256 g/m ²

ECOLOGY

Power consumption:	Maximum: 1,780 W Ready mode: BJ.4 W Sleep mode: 0.48 W (Basic)/0.51 W (SP) JEC (Typical Electricity Consumption): Basic: J.883'2,7J5/3,324 W/h SP: 1,607'2,253/2,719 W/h
--------------------	---

SOFTWARE (OPTION)

GlobalScan NX, Device Manager NX, Enhanced Locked Printed NX, Streamline NX, Card Authentication Package, Unicode Font Package for SAP

OPTIONS

ADF handle, ARDF, SPDF (except MP 6054 series), 1 x SSO sheet paper tray, 2 x 550-sheet paper tray, Tandem LCIT, Caster table, LCIT, One-bin tray, 1,000-sheets finished, 1,000-sheet booklet finisher, 3,000-sheets finisher, 2,000-sheets booklet finisher, Internal finisher (except MP 6054 series), Shift tray, Side Tray, Bridge unit, Punch Kiu for finisher, Printer/Scanner option, smart operation panel, Nard disk drive, Netware, Browser unit, Fileformat converter, Unicode font package, Adobe* PostScript* 3* option, IPDS, XPS print option, Copy data security unit, Wireless LAN (IEEE 802.11a/b/g/n), IEEE 1284, Bluetooth, Additional NIC (2nd port), Counter interface, Key counter bracket, Smart card reader, Card reader bracket, External keyboard bracket, OCR unit, Fax option, G3 interface unit, Fax connection unit, Fax memory, Fax marker

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH

103 Penang Road #06-01/07, VISIONCREST Commercial, Singapore 238467
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2014 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout

